

Application No. : 10/622,989

<u>EAST History</u>				<u>3/29/04</u>	<u>4:22 PM</u>
BRS	S1	1582	interleav\$4 same (calibrat\$3 or compensat\$3)	US-PGPUB; USPAT	29-Mar-04
BRS	S2	30	S1 same (capacitor or capacitors or capacitance)	US-PGPUB; USPAT	29-Mar-04
BRS	S3	3	S2 and pipeline	US-PGPUB; USPAT	29-Mar-04
BRS	S4	6407	calibrat\$4 same (capacitor or capacitors or capacitance)	US-PGPUB; USPAT	29-Mar-04
BRS	S5	246	S4 and 341/118,"120","155",161-163,"172".ccls.	US-PGPUB; USPAT	29-Mar-04
BRS	S6	52	S5 and pipeline	US-PGPUB; USPAT	29-Mar-04
BRS	S7	42994	pipeline	US-PGPUB; USPAT	29-Mar-04
BRS	S8	6407	calibrat\$4 same (capacitor or capacitors or capacitance)	US-PGPUB; USPAT	29-Mar-04
BRS	S9	246	S8 and 341/118,"120","155",161-163,"172".ccls.	US-PGPUB; USPAT	29-Mar-04
BRS	S10	52	S7 and S9	US-PGPUB; USPAT	29-Mar-04
IS&R	S11	3	((("6456223") or ("6496125") or ("6563445"))).PN.	US-PGPUB; USPAT	29-Mar-04
BRS	S13	57753	alternat\$5 same (calibrat\$3 or compensat\$3)	US-PGPUB; USPAT	29-Mar-04
BRS	S14	3024	S13 same (capacitor or capacitors or capacitance)	US-PGPUB; USPAT	29-Mar-04
BRS	S15	28	S14 and pipeline	US-PGPUB; USPAT	29-Mar-04
BRS	S16	42994	pipeline	US-PGPUB; USPAT	29-Mar-04
BRS	S17	28	S14 and S16	US-PGPUB; USPAT	29-Mar-04